

Connecting via Winsock to STN

Trying 3106016892...Open

Welcome to STN International! Enter x:
Welcome to STN International! Enter x:x
LOGINID:SSSPTA1805SXM
PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	Sep 17	IMSworld Pharmaceutical Company Directory name change to PHARMASEARCH
NEWS	3	Oct 09	Korean abstracts now included in Derwent World Patents Index
NEWS	4	Oct 09	Number of Derwent World Patents Index updates increased
NEWS	5	Oct 15	Calculated properties now in the REGISTRY/ZREGISTRY File
NEWS	6	Oct 22	Over 1 million reactions added to CASREACT
NEWS	7	Oct 22	DGENE GETSIM has been improved
NEWS	8	Oct 29	AAASD no longer available
NEWS	9	Nov 19	New Search Capabilities USPATFULL and USPAT2
NEWS	10	Nov 19	TOXCENTER(SM) - new toxicology file now available on STN
NEWS	11	Nov 29	COPPERLIT now available on STN
NEWS	12	Nov 29	DWPI revisions to NTIS and US Provisional Numbers
NEWS	13	Nov 30	Files VETU and VETB to have open access
NEWS	14	Dec 10	WPINDEX/WPIDS/WPIX New and Revised Manual Codes for 2002
NEWS	15	Dec 10	DGENE BLAST Homology Search
NEWS	16	Dec 17	WELDASEARCH now available on STN
NEWS	17	Dec 17	STANDARDS now available on STN
NEWS	18	Dec 17	New fields for DPCI
NEWS	19	Dec 19	CAS Roles modified
NEWS	20	Dec 19	1907-1946 data and page images added to CA and CAPlus
NEWS	21	Jan 25	BLAST(R) searching in REGISTRY available in STN on the Web
NEWS	22	Jan 25	Searching with the P indicator for Preparations
NEWS	23	Jan 29	FSTA has been reloaded and moves to weekly updates
NEWS	24	Feb 01	DKILIT now produced by FIZ Karlsruhe and has a new update frequency
NEWS	25	Feb 19	Access via Tymnet and SprintNet Eliminated Effective 3/31/02
NEWS	26	Mar 08	Gene Names now available in BIOSIS
NEWS EXPRESS			February 1 CURRENT WINDOWS VERSION IS V6.0d, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 15:16:26 ON 13 MAR 2002

=> file medline caplus scisearch biosis biotechno
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.30	0.30

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 15:17:14 ON 13 MAR 2002

FILE 'CAPLUS' ENTERED AT 15:17:14 ON 13 MAR 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'SCISEARCH' ENTERED AT 15:17:14 ON 13 MAR 2002
COPYRIGHT (C) 2002 Institute for Scientific Information (ISI) (R)

FILE 'BIOSIS' ENTERED AT 15:17:14 ON 13 MAR 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'BIOTECHNO' ENTERED AT 15:17:14 ON 13 MAR 2002
COPYRIGHT (C) 2002 Elsevier Science B.V., Amsterdam. All rights reserved.

=> s plant and indolicidin
L1 4 PLANT AND INDOLICIDIN

=> s indolucidin
L2 0 INDOLUCIDIN

=> s indolicidin
L3 288 INDOLICIDIN

=> dup rem l1
PROCESSING COMPLETED FOR L1
L4 4 DUP REM L1 (0 DUPLICATES REMOVED)

=> s l3 and agriculture
L5 1 L3 AND AGRICULTURE

=> s l3 and agricultural
L6 1 L3 AND AGRICULTURAL

=> s l3 and agronomic
L7 1 L3 AND AGRONOMIC

=> s l4 or l5 or l6 or l7
L8 4 L4 OR L5 OR L6 OR L7

=> d ab 1-4

L8 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2002 ACS

AB Disclosed are peptides that have enhanced stability against **plant** proteases and are useful in the control of **plant** diseases. The peptides also have the ability to protect other peptides, polypeptides or proteins from degrdn. by proteases of **plant**, fungal, viral, bacterial, insect or other origin. **Indolicidin** exhibits remarkable resistance to proteolysis by proteases; the reverse peptide of **indolicidin** (designated Rev4, Arg-Arg-Trp-Pro-Trp-Trp-Pro-Lys-Trp-Pro-Leu-Ile) and derivs and analogs of **indolicidin** and Rev4 share these properties while maintaining antimicrobial properties. Exogenous or non-native peptides, polypeptides and proteins of

agronomic interest exhibit greater resistance to degrdn. by multiple classes of proteases that have different active sites and substrate specificities in the presence of **indolicidin**, Rev4 and related structures. DNA encoding the peptides of the present invention can be co-expressed with other DNA encoding exogenous peptides in transgenic plants as a method for protecting foreign peptides from degrdn. by proteases. Thus, a synthetic gene (RIL) is constructed encoding the Rev4 peptide fused to a secretion signal peptide from tobacco PR-1b protein, and used to show increased bacterial and fungal pathogen resistance in transgenic plants. Also disclosed are nucleic acid sequences, microorganisms, plants, and compns. useful for the treatment of **plant** diseases.

L8 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2002 ACS

AB The present invention features a method for isolating and purifying viruses, proteins and peptides of interest from a **plant** host which is applicable on a large scale. Moreover, the present invention provides a more efficient method for isolating viruses, proteins and peptides of interest than those methods described in the prior art. In general, the present method of isolating viruses, proteins and peptides of interest comprises the steps of homogenizing a **plant** to produce a green juice, adjusting the pH of and heating the green juice, sepg. the target species, either virus or protein/peptide, from other components of the green juice by one or more cycles of centrifugation, resuspension, and ultrafiltration, and finally purifying virus particles by such procedure as PEG-pptn. or purifying proteins and peptides by such procedures as chromatog. and/or salt pptn. The invention also concerns transgenic plants and the isolation of viral proteins and/or other fusion proteins.

L8 ANSWER 3 OF 4 SCISEARCH COPYRIGHT 2002 ISI (R)

AB **Indolicidin** is a cationic 13 amino acid peptide amide produced in the granules of bovine neutrophils with the sequence H-ILPWKWPWWPWR-NH₂. **Indolicidin** is both antimicrobial and, to a lesser extent, haemolytic. In order to systematically investigate structure-function relationships, the solid-phase synthesis of **indolicidin** and 48 distinct analogues are reported, as well as the characterization of their respective biological properties. Peptides synthesized and characterized include analogues With modified terminal functions, truncations from either terminus, an alanine scan to determine the role of each individual amino acid, specific amino acid exchanges of aromatic, charged and structural residues and several retro, inverso- and retroinverso-analogues. Together, characterization of these analogues identifies specific residues involved in antimicrobial or haemolytic activity and suggests a core structure that may form a scaffold for the further development of peptidomimetic analogues of **indolicidin**. Copyright (C) 2001 European Peptide Society and John Wiley & Sons, Ltd.

L8 ANSWER 4 OF 4 SCISEARCH COPYRIGHT 2002 ISI (R)

AB We used an assay based on the uptake of SYTOX Green, an organic compound that fluoresces upon interaction with nucleic acids and penetrates cells with compromised plasma membranes, to investigate membrane permeabilization in fungi. Membrane permeabilization induced by **plant** defensins in *Neurospora crassa* was biphasic, depending on the **plant** defensin dose. At high defensin levels (10 to 40 μ M), strong permeabilization was detected that could be strongly suppressed by cations in the medium. This permeabilization appears to rely on direct peptide-phospholipid interactions. At lower defensin levels (0.1 to 1 μ M), a weaker, but more cation-resistant, permeabilization occurred at concentrations that correlated with the inhibition of fungal growth. Rs-AFP2(Y38G), an inactive variant of the **plant** defensin Rs-AFP2 from *Raphanus sativus*, failed to induce cation-resistant permeabilization in *N. crassa*, Dm-AMP1, a **plant** defensin from *Dahlia merckii*, induced cation-resistant membrane permeabilization in yeast (*Saccharomyces cerevisiae*) which correlated with its antifungal activity, However,

Dm-AMP1 could not induce cation-resistant permeabilization in the Dm-AMP1-resistant *S. cerevisiae* mutant DM1, which has a drastically reduced capacity for binding Dm-AMP1. We think that cation-resistant permeabilization is binding site mediated and linked to the primary cause of fungal growth inhibition induced by **plant** defensins.

=> d 1-4

L8 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2002 ACS
 AN 2000:314810 CAPLUS
 DN 132:344450
 TI Peptides with enhanced stability to protease degradation useful in the control of **plant** diseases
 IN Everett, Nicholas P.; Li, Qingshun; Lawrence, Christopher; Davies, Maelor H.
 PA Interlink Biotechnologies LLC, USA; University of Kentucky Research Foundation
 SO PCT Int. Appl., 50 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000026344	A1	20000511	WO 1999-US25561	19991029
	W: AT, AU, BR, CA, JP, MX				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	AU 2000037884	A5	20000522	AU 2000-37884	19991029
	BR 9914922	A	20010710	BR 1999-14922	19991029
PRAI	US 1998-106373	P	19981030		
	US 1998-106537	P	19981102		
	US 1998-106573	P	19981002		
	WO 1999-US25561	W	19991029		

OS MARPAT 132:344450

RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2002 ACS
 AN 1999:595213 CAPLUS
 DN 131:213188
 TI A process for isolating and purifying viruses, soluble proteins and peptides from **plant** sources including transgenic plants
 IN Garger, Stephen J.; Holtz, R. Barry; McCulloch, Michael J.; Turpen, Thomas H.
 PA Biosource Technologies, Inc., USA
 SO PCT Int. Appl., 58 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9946288	A2	19990916	WO 1999-US5056	19990309
	WO 9946288	A3	20000120		
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				

US 6037456	A	20000314	US 1998-37751	19980310
US 6033895	A	20000307	US 1999-259741	19990225
AU 9930725	A1	19990927	AU 1999-30725	19990309
EP 1062235	A2	20001227	EP 1999-912327	19990309

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI

JP 2002506080	T2	20020226	JP 2000-535664	19990309
US 6303779	B1	20011016	US 1999-466422	19991217

PRAI US 1998-37751 A 19980310
US 1999-259741 A1 19990225
WO 1999-US5056 W 19990309

L8 ANSWER 3 OF 4 SCISEARCH COPYRIGHT 2002 ISI (R)
AN 2001:871287 SCISEARCH
GA The Genuine Article (R) Number: 487FW
TI Structure-function relationships in the tryptophan-rich, antimicrobial peptide **indolicidin**
AU Staubitz P; Peschel A; Nieuwenhuizen W F; Otto M; Gotz F; Jung G; Jack R W (Reprint)
CS City Univ Hong Kong, Dept Biol & Chem, Ctr Coastal Pollut & Conservat, 83 Tat Chee Ave, Kowloon, Hong Kong, Peoples R China (Reprint); Univ Tubingen, Inst Organ Chem, D-72074 Tubingen, Germany; EMC Microcollect GmbH, Tubingen, Germany
CYA Peoples R China; Germany
SO JOURNAL OF PEPTIDE SCIENCE, (OCT 2001) Vol. 7, No. 10, pp. 552-564. Publisher: JOHN WILEY & SONS LTD, BAFFINS LANE CHICHESTER, W SUSSEX PO19 1UD, ENGLAND.
ISSN: 1075-2617.
DT Article; Journal
LA English
REC Reference Count: 43
ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

L8 ANSWER 4 OF 4 SCISEARCH COPYRIGHT 2002 ISI (R)
AN 1999:949078 SCISEARCH
GA The Genuine Article (R) Number: 261XV
TI Permeabilization of fungal membranes by **plant** defensins inhibits fungal growth
AU Thevissen K; Terras F R G; Broekaert W F (Reprint)
CS KATHOLIEKE UNIV LEUVEN, FA JANSSENS LAB GENET, K MERCIERLAAN 92, B-3001 HEVERLEE, BELGIUM (Reprint); KATHOLIEKE UNIV LEUVEN, FA JANSSENS LAB GENET, B-3001 HEVERLEE, BELGIUM
CYA BELGIUM
SO APPLIED AND ENVIRONMENTAL MICROBIOLOGY, (DEC 1999) Vol. 65, No. 12, pp. 5451-5458. Publisher: AMER SOC MICROBIOLOGY, 1325 MASSACHUSETTS AVENUE, NW, WASHINGTON, DC 20005-4171.
ISSN: 0099-2240.
DT Article; Journal
FS LIFE; AGRI
LA English
REC Reference Count: 34
ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS